



## Contents of *Aquaculture*, Volume 255

VOL. 255 NOS. 1–4

31 May 2006

### Review Article

- Microsatellites and their genomic distribution, evolution, function and applications: A review with special reference to fish genetics  
D.A. Chistiakov (Cincinnati, OH, USA; Leuven, Belgium), B. Hellemans and F.A.M. Volckaert (Leuven, Belgium) ..... 1

### Diseases

- Asymptomatic iridovirus infection in various marine fishes detected by a 2-step PCR method  
J.B. Jeong, L.J. Jun (Busan, South Korea), K.H. Park (Jeon-nam, South Korea), K.H. Kim, J.-K. Chung (Busan, South Korea),  
J.L. Komisar (Silver Spring, MD, USA) and H.D. Jeong (Busan, South Korea) ..... 30
- Immunolocalisation of nervous necrosis virus indicates vertical transmission in hatchery produced Asian sea bass (*Lates calcarifer* Bloch)—A case study  
I.S. Azad, K.P. Jithendran, M.S. Shekhar, A.R. Thirunavukkarasu (Chennai, India) and L.D. de la Pena (Iloilo, Philippines) . . . . 39
- Effects of enrofloxacin and florfenicol on survival and bacterial population in an experimental infection with luminescent *Vibrio campbellii* in shrimp larvae of *Litopenaeus vannamei*  
S. Soto-Rodríguez, M. Armenta and B. Gomez-Gil (Sinaloa, Mexico) ..... 48
- Pharmacokinetics of quinolones in fish: A review  
O.B. Samuelsen (Bergen, Norway) ..... 55
- Microbial conditions and antimicrobial activity in cultures of two microalgae species, *Tetraselmis chuii* and *Chlorella minutissima*, and effect on bacterial load of enriched *Artemia* metanauplii  
P. Makridis, R.A. Costa and M.T. Dinis (Faro, Portugal) ..... 76
- Effect of long term administration of dietary  $\beta$ -glucan on immunity, growth and survival of *Labeo rohita* fingerlings  
C.K. Misra, B.K. Das, S.C. Mukherjee and P. Pattnaik (Orissa, Mumbai, India) ..... 82
- Comparison of PCR testing methods for white spot syndrome virus (WSSV) infections in penaeid shrimp  
K. Sritunyalucksana, J. Srisala (Bangkok, Thailand), K. McColl (Geelong Vic, Australia), L. Nielsen and T.W. Flegel (Bangkok, Thailand) ..... 95
- Molecular comparison of iridoviruses isolated from marine fish cultured in Korea and imported from China  
J.B. Jeong, H.Y. Kim, K.H. Kim, J.-K. Chung (Busan, South Korea), J.L. Komisar (Silver Spring, MD, USA) and H.D. Jeong (Busan, South Korea) ..... 105
- Isolation of *Vibrio harveyi* bacteriophage with a potential for biocontrol of luminous vibriosis in hatchery environments  
M.G. Vinod, M.M. Shivu, K.R. Umesha, B.C. Rajeeva (Mangalore, India), G. Krohne (Wuerzburg, Germany), I. Karunasagar and I. Karunasagar (Mangalore, India) ..... 117
- Vaccination with three inactivated pathogens of cobia (*Rachycentron canadum*) stimulates protective immunity  
J.H.-Y. Lin, T.-Y. Chen, M.-S. Chen, H.-E. Chen (Tainan, Taiwan), R.-L. Chou, T.-I. Chen, M.-S. Su (Tung-Kang, Taiwan) and H.-L. Yang (Tainan, Taiwan) ..... 125
- Non-specific immune response of healthy and immunocompromised Asian catfish (*Clarias batrachus*) to several immunostimulants  
J. Kumari and P.K. Sahoo (Bhubaneswar, India) ..... 133
- Feeding with arachidonic acid-rich triacylglycerols from the microalga *Parietochloris incisa* improved recovery of guppies from infection with *Tetrahymena* sp.  
I. Khozin-Goldberg, Z. Cohen, M. Pimenta-Leibowitz (Sede Boqer Campus, Israel), J. Nechev (Sofia, Bulgaria) and D. Zilberg (Sede Boqer Campus, Israel) ..... 142

Efficacy of a <i>Streptococcus iniae</i> modified bacterin delivered using Oralject™ technology in Nile tilapia ( <i>Oreochromis niloticus</i> ) C.A. Shoemaker (Auburn, AL, USA), G.W. Vandenberg, A. Désormeaux (Quebec, Canada), P.H. Klesius (Auburn, AL, USA) and J.J. Evans (Chestertown, MD, USA) . . . . .	151
Establishing a role for shrimp fortilin in preventing cell death P. Graidist (Songkhla, Thailand), K. Fujise (Houston, Texas, USA), W. Wanna (Songkhla, Thailand), K. Sritunyalucksana (Bangkok, Thailand) and A. Phongdara (Songkhla, Thailand). . . . .	157
Expression of a Phagocytosis Activating Protein (PAP) gene in immunized black tiger shrimp P. Deachamag, U. Intaraphad, A. Phongdara and W. Chotigeat (Songkhla, Thailand) . . . . .	165
<i>Vibrionaceae</i> infection in phyllosomas of the tropical rock lobster <i>Panulirus ornatus</i> as detected by fluorescence in situ hybridisation N.S. Webster, D.G. Bourne and M. Hall (Townsville MC QLD, Australia). . . . .	173
Immunomodulatory effects of dietary intake of chitin, chitosan and levamisole on the immune system of <i>Cyprinus carpio</i> and control of <i>Aeromonas hydrophila</i> infection in ponds A. Gopalakannan and V. Arul (Pondicherry, India) . . . . .	179
Characterization of serine proteases in the monogenean <i>Neobenedenia girellae</i> N. Hirazawa (Tokyo, Japan), N. Umeda (Oita, Japan), A. Hatanaka (Tokyo, Japan) and A. Kuroda (Oita, Japan) . . . . .	188
Development of an immunochromatographic test to detect White Spot Syndrome Virus of shrimp X. Wang and W. Zhan (Qingdao, PR China). . . . .	196

### Nutrition

Dietary phosphorus requirement of juvenile Japanese seabass, <i>Lateolabrax japonicus</i> C. Zhang, K. Mai, Q. Ai, W. Zhang, Q. Duan, B. Tan, H. Ma, W. Xu, Z. Liufu and X. Wang (Qingdao, PR China) . . . . .	201
Effect of dietary lipid source on the growth, tissue composition and hematological parameters of largemouth bass ( <i>Micropterus salmoides</i> ) B. Subhadra, R. Lochmann (Pine Bluff, AR, USA), S. Rawles (Stuttgart, AR, USA) and R. Chen (Pine Bluff, AR, USA) . . . . .	210
Impact of essential fatty acid deficiency and temperature on tissues' fatty acid composition of European sea bass ( <i>Dicentrarchus labrax</i> ) A. Skalli (Spain), J.H. Robin, N. Le Bayon, H. Le Delliou and J. Person-Le Ruyet (Plouzané, France) . . . . .	223
Nitrogen budgets for juvenile big-bellied seahorse <i>Hippocampus abdominalis</i> fed <i>Artemia</i> , mysids or pelleted feeds Z. Wilson, C.G. Carter and G.J. Purser (Launceston, Tasmania, Australia) . . . . .	233
Effect of varying levels of macro-nutrients and continuous light on growth, energy deposits and maturation in farmed Atlantic cod ( <i>Gadus morhua</i> L.) Ø. Karlsen (Storebø, Norway), G.-I. Hemre (Bergen, Norway), K. Tveit and G. Rosenlund (Stavanger, Norway) . . . . .	242
Can Atlantic salmon ( <i>Salmo salar</i> ) grow on diets devoid of fish meal? M. Espe (Bergen, Norway), A. Lemme, A. Petri (Hanau-Wolfgang, Germany) and A. El-Mowafi (Dirdal, Norway) . . . . .	255
Effect of dietary calcium and phosphorus on growth, feed efficiency, mineral content and body composition of juvenile grouper, <i>Epinephelus coioides</i> C.-X. Ye, Y.-J. Liu, L.-X. Tian (Guangzhou, PR China), K.-S. Mai (Qingdao, PR China), Z.-Y. Du, H.-J. Yang and J. Niu (Guangzhou, PR China) . . . . .	263
The presence of endogenous L-carnitine in live foods used for larviculture D.M. Zhang (Fukuoka, Japan; Changchun, China), T. Yoshimatsu (Nansei, Japan) and M. Furuse (Fukuoka, Japan) . . . . .	272
Feed intake, growth, and utilisation of macronutrients and amino acids by 1- and 2-year old Atlantic cod ( <i>Gadus morhua</i> ) fed standard or bioprocessed soybean meal S. Refstie (Sunndalsøra, CoE, Norway), O. Førde-Skjærvik (CoE, Ås, Norway), G. Rosenlund (Stavanger, Norway) and K.-A. Rørvik (Sunndalsøra, Norway) . . . . .	279

### Husbandry and Management

Effects of different long-day photoperiods on somatic growth and gonadal development in Nile tilapia ( <i>Oreochromis niloticus</i> L.) F. Rad (Yenisehir Kampusu, Mersin/Turkey), S. Bozaoğlu, S. Ergene Gözükar, A. Karahan (Mersin/Turkey) and G. Kurt (Yenisehir Kampusu, Mersin/Turkey) . . . . .	292
Intensive fish culture at high ammonium and low pH M. Eshchar (Eliat, Israel), O. Lahav (Haifa, Israel), N. Mozes, A. Peduel and B. Ron (Eliat, Israel). . . . .	301
Prediction of cannibalism in juvenile <i>Oreochromis niloticus</i> based on predator to prey weight ratio, and effects of age and stocking density Y. Fessehay, A. Kabir, H. Bovenhuis and H. Komen (Wageningen, The Netherlands). . . . .	314
Probiotic effect in vivo of <i>Roseobacter</i> strain 27-4 against <i>Vibrio</i> ( <i>Listonella</i> ) <i>anguillarum</i> infections in turbot ( <i>Scophthalmus maximus</i> L.) larvae M. Planas, M. Pérez-Lorenzo (Galicia, Spain), M. Hjelm, L. Gram (Lyngby, Denmark), I. Uglenes Fiksdal, Ø. Bergh (Bergen, Norway) and J. Pintado (Galicia, Spain). . . . .	323

Can Atlantic cod ( <i>Gadus morhua</i> ) larvae be weaned faster onto dry feed at higher temperatures? V. Puvanendran, A.L. Burt and J.A. Brown (Newfoundland and Labrador, Canada) . . . . .	334
Effects of salinity, photoperiod and adult stocking density on egg production and egg hatching success in <i>Acartia tonsa</i> (Calanoida: Copepoda): Optimizing intensive cultures M.A. Peck and L. Holste (Hamburg, Germany) . . . . .	341
Effects of chronic nitrite exposure on growth in juvenile Atlantic cod, <i>Gadus morhua</i> S.I. Siikavuopio and B.-S. Sæther (Tromsø, Norway) . . . . .	351
Byssal attachment of juvenile mussels, <i>Perna canaliculus</i> , affected by water motion and air bubbles A.C. Alfaro (Auckland, New Zealand) . . . . .	357
Impact of suspended and off-bottom Eastern oyster culture on the benthic environment in eastern Canada A.L. Mallet, C.E. Carver and T. Landry (Nova Scotia, New Brunswick, Canada) . . . . .	362
Impacts of HAB species <i>Heterosigma akashiwo</i> on early development of the scallop <i>Argopecten irradians</i> Lamarck L. Wang, T. Yan and M. Zhou (Qingdao, PR China) . . . . .	374
Control of the herbivorous gastropod <i>Fissurella mutabilis</i> (Sow.) in a land-based integrated abalone-seaweed culture J.P. Hansen (Stockholm, Sweden), D. Robertson-Andersson (Rondebosch, South Africa) and M. Troell (Stockholm, Sweden) . . . . .	384
Effects of temperature and season on gonad growth and feed intake in the green sea urchin ( <i>Strongylocentrotus droebachiensis</i> ) S.I. Siikavuopio, J.S. Christiansen and T. Dale (Tromsø, Norway) . . . . .	389
Detecting the shellfish killer <i>Heterocapsa circularisquama</i> (Dinophyceae) by measuring bivalve valve activity with a Hall element sensor K. Nagai (Mie, Japan), T. Honjo (Fukuoka, Japan), J. Go (Mie, Japan), H. Yamashita (Aichi, Japan) and Seok Jin Oh (Fukuoka, Japan) . . . . .	395
The clam, Xishi tongue <i>Coelomactra antiquata</i> (Spengler), a promising new candidate for aquaculture in China H. Liu, J.X. Zhu, H.L. Sun, J.G. Fang (Qingdao, China), R.C. Gao (Fujian, China) and S.L. Dong (Qingdao, China) . . . . .	402
Influence of pre-inductive photoperiod variations on Eurasian perch <i>Perca fluviatilis</i> broodstock response to an inductive photothermal program P. Fontaine, C. Pereira, N. Wang and M. Marie (Nancy, France) . . . . .	410
Alternative species for traditional carp polyculture in southern South America: Initial growing period L.B. da Silva (Porto Alegre, RS, Brazil), L.J.G. Barcellos, R.M. Quevedo (Passo Fundo, RS, Brazil), S.M.G. de Souza (Porto Alegre, RS, Brazil), L.C. Kreutz (Passo Fundo, RS, Brazil), F. Ritter, J.A. Finco and A.C. Bedin (UPF, Brazil) . . . . .	417
Significance of initial weight of post-metamorphosis froglets for growth and fattening of <i>Rana perezi</i> Seoane, 1885, raised in captivity R. Álvarez and M. Real (León, Spain) . . . . .	429
Effects of lowered inorganic phosphorus fertilization rates on pond production of percid fingerlings K.S. Tew (PingTung, Taiwan, ROC), J.D. Conroy and D.A. Culver (Columbus, Ohio, USA) . . . . .	436
Interactions between the Japanese abalone <i>Haliotis discus hannai</i> (Ino 1953) and Chilean species: Consumption, competition, and predation W.B. Stotz, L. Caillaux and J. Aburto (Coquimbo, Chile) . . . . .	447
Stocking models of Chinese mitten crab ( <i>Eriocheir japonica sinensis</i> ) in Yangtze lakes H.-Z. Wang, H.-J. Wang, X.-M. Liang and Y.-D. Cui (Wuhan, China) . . . . .	456
The impact of stocking density on the welfare of rainbow trout ( <i>Oncorhynchus mykiss</i> ) B.P. North, J.F. Turnbull (Dorset, UK), T. Ellis (Dorset, UK), M.J. Porter (Tasmania, Australia), H. Migaud, J. Bron and N.R. Bromage (Scotland, UK) . . . . .	466
Breeding and rearing the Sunrise Dottyback <i>Pseudochromis flavivertex</i> : the importance of live prey enrichment during larval development I. Olivotto, A. Rollo, R. Sulpizio, M. Avella, L. Tosti and O. Carnevali (Ancona, Italy) . . . . .	480
Intensive mass production of <i>Artemia</i> in a recirculated system O. Zmora and M. Shpigel (Eilat, Israel) . . . . .	488
Larval and juvenile rearing of common sole ( <i>Solea solea</i> L.) in the Northern Adriatic (Italy) R. Palazzi, J. Richard, G. Bozzato and L. Zanella (Venice, Italy) . . . . .	495
<b>Physiology and Endocrinology</b>	
Effect of dietary bovine lactoferrin on growth response, tolerance to air exposure and low salinity stress conditions in orange spotted grouper <i>Epinephelus coioides</i> S. Yokoyama, S. Koshio (Kagoshima, Japan), N. Takakura, K. Oshida (Kanagawa, Japan), M. Ishikawa (Kagoshima, Japan), F.J. Gallardo-Cigarroa (Kagoshima, Fukuoka, Japan), M.R. Catacutan (Iloilo City, Philippines) and S.-i. Teshima (Kagoshima, Japan) . . . . .	507



Effects of diel temperature fluctuations on growth, oxygen consumption and proximate body composition in the sea cucumber <i>Apostichopus japonicus</i> Selenka Y. Dong, S. Dong, X. Tian, F. Wang and M. Zhang (Qingdao, People's Republic of China) . . . . .	514
Human chorionic gonadotropin induces spermatogenesis and spermiation in 1-year-old European sea bass ( <i>Dicentrarchus labrax</i> ): Assessment of sperm quality R. Schiavone, L. Zilli, S. Vilella (Lecce, Italy) and C. Fauvel (Palavas, France) . . . . .	522
Induction of sex change within two full moons during breeding season and spawning in grouper M.A. Alam (Okinawa, Japan), R.K. Bhandari (Aichi, Japan), Y. Kobayashi (Okinawa, Saitama, Japan), K. Soyano (Nagasaki, Japan) and M. Nakamura (Okinawa, Saitama, Japan) . . . . .	532
Thermal dependence of embryonic development and hatching rate in <i>Labeo rohita</i> (Hamilton, 1822) T. Das, A.K. Pal (Mumbai, India), S.K. Chakraborty (West Bengal, India), S.M. Manush, R.S. Dalvi, K. Sarma and S.C. Mukherjee (Mumbai, India) . . . . .	536

### Genetics

Development of a microsatellite DNA parentage marker suite for black tiger shrimp <i>Penaeus monodon</i> D.R. Jerry, B.S. Evans, M. Kenway and K. Wilson (Townsville, Qld, Australia) . . . . .	542
Evaluation of family growth response to fishmeal and gluten-based diets in rainbow trout ( <i>Oncorhynchus mykiss</i> ) Y. Palti, J.T. Silverstein (Kearneysville, WV, USA), H. Wieman (Durham, NC, USA), J.G. Phillips (Wyndmoor, PA, USA), F.T. Barrows (Hagerman, ID, USA) and J.E. Parsons (Sumner, WA, USA) . . . . .	548
Evaluation of DNA methodologies in identifying <i>Brachionus</i> species used in European hatcheries S. Papakostas (Greece), S. Doms (Oostende, Ghent, Belgium), A. Triantafyllidis (Greece), D. Deloof (Oostende, Belgium), I. Kappas (Greece), K. Dierckens (Ghent, Belgium), T.D. Wolf (Livorno, Italy), P. Bossier (Ghent, Belgium), O. Vadstein, S. Kui (Trondheim, Norway), P. Sorgeloos (Ghent, Belgium) and T.J. Abatzopoulos (Greece) . . . . .	557
Genetic diversity in three Japanese flounder ( <i>Paralichthys olivaceus</i> ) populations revealed by ISSR markers Y.-G. Liu, S.-L. Chen, J. Li and B.-F. Li (Qingdao, China) . . . . .	565
Use of molecular markers to maximise diversity of founder populations for aquaculture breeding programs B. Hayes, J. He, T. Moen (Ås, Norway) and J. Bennewitz (Kiel, Germany) . . . . .	573
Sustained response to selection in an introduced population of the hermaphroditic bay scallop <i>Argopecten irradians irradians</i> Lamarck (1819) H. Zheng, G. Zhang, X. Liu (Qingdao, China) and X. Guo (Port Norris, NJ, USA) . . . . .	579
Genetic and environmental factors affecting growth of Nile tilapia ( <i>Oreochromis niloticus</i> ) juveniles: Modelling spatial correlations between hapas H. Charo-Karisa (Wageningen, The Netherlands; Abou Hammad, Egypt), H. Komen, S. Reynolds (Wageningen, The Netherlands), M.A. Rezk (Abou Hammad, Egypt), R.W. Ponzoni (Penang, Malaysia) and H. Bovenhuis (Wageningen, The Netherlands) . . . . .	586

### Technical Paper

High-throughput genomic DNA extraction protocol from tilapia's fin tissue N. Zilberman, S. Reikhav, G. Hulata and M. Ron (Bet Dagan, Israel) . . . . .	597
---	-----

### Short Communications

Clinical effect of cidofovir and a diet supplemented with <i>Spirulina platensis</i> in white spot syndrome virus (WSSV) infected specific pathogen-free <i>Litopenaeus vannamei</i> juveniles M.M. Rahman, C.M. Escobedo-Bonilla (Ghent, Salisburylaan, Belgium), M. Wille (Ghent, Belgium), V. Alday Sanz (Dendermonde, Belgium), L. Audoom (Ghent, Belgium), J. Neyts (Leuven, Belgium), M.B. Pensaert (Salisburylaan, Belgium), P. Sorgeloos (Ghent, Belgium) and H.J. Nauwynck (Salisburylaan, Belgium) . . . . .	600
A necrotizing hepatopancreatitis (NHP) outbreak in a shrimp farm in Campeche, Mexico: A first case report R.E. del Río-Rodríguez (Campeche, Mexico), S. Soto-Rodríguez (Sinaloa, Mexico), M. Lara-Flores, A.D. Cu-Escamilla and M.I. Gomez-Solano (Campeche, Mexico) . . . . .	606
Report on the occurrence of brown ring disease (BRD) in Manila clam, <i>Ruditapes philippinarum</i> , on the west coast of Korea K.-I. Park (Jeju, Republic of Korea), C. Paillard, P. Le Chevalier (Plouzané, Quimper, France) and K.-S. Choi (Jeju, Republic of Korea) . . . . .	610

### Corrigenda

Corrigendum to "Comparison of shell strength in wild and cultured scallops ( <i>Pecten maximus</i> )" [Aquaculture 251 (2006) 306–313] E. Sofie Grefsrud, Ø. Strand and G. Askvik Haugum (Bengen, Norway) . . . . .	614
--	-----

Corrigendum to "Development of cryopreservation procedures for semen of Pacific bluefin tuna *Thunnus orientalis*" [Aquaculture 249 (2005) 205–211]

H.-H. Gwo, T.-S. Weng (Yunlin, Taiwan), L.-S. Fang and Y.-H. Lee (Pingtung, Taiwan) . . . . . 615

**Contents of Aquaculture, Volume 255** . . . . . 616